

Braeburn[®]

Premier Series Digital Thermostats



The brighter choice[®]

Premier Series



3000



5400



3000 and 5000 Series

Braeburn Premier Series Digital Non-Programmable, Programmable and Universal Thermostats provide an innovative solution to lower energy costs and provide additional comfort in any residential or light commercial application. Our unique recirculating fan mode, residual cooling fan delay and adjustable temperature differentials allow total control, increasing system efficiency and comfort.

Non-Programmable Thermostats

Model 3000

- Single Stage Heat / Cool
- Compatible with 24 Volt AC Gas, Oil, Electric, Heat Pump and Millivolt Systems

Model 3200

- Multi-Stage 2 Heat / 2 Cool
- Compatible with 24 Volt AC Conventional or Heat Pump Systems
- Auxiliary Heat Fossil Fuel Switch
- Emergency Heat Switch

Programmable Thermostats

Model 5000

- Single Stage Heat / Cool
- Compatible with 24 Volt AC Gas, Oil, Electric, Heat Pump and Millivolt Systems
- 7 Day or 5-2 Day Programming

Model 5200

- Multi-Stage 2 Heat / 2 Cool
- Compatible with 24 Volt AC Conventional or Heat Pump Systems
- Universal 7 Day, 5 - 2 Day Programming or Non-Programmable
- AC Power Monitor Circuitry
- Compressor Power Outage Protection
- Auxiliary Heat Fossil Fuel Switch

Universal Thermostats

Model 5300

- Multi-Stage 2 Heat / 2 Cool
- Universal Auto Changeover
- Universal 7 Day, 5-2 Day or Non-Programmable
- Residential or Commercial Modes
- 5390 Remote Indoor Sensor Compatible

Model 5400

- Multi-Stage 3 Heat / 2 Cool
- Universal Auto Changeover
- Universal 7 Day, 5-2 Day or Non-Programmable
- Programmable Humidification & Dehumidification with Fan Speed Control
- Residential or Commercial Modes
- Two Fresh Air Modes
- Adjustable Balance Points
- 5390 Remote Indoor or 5490 Remote Outdoor Sensor Compatible



Model 5200

U.S. Patents D524,663; D525,154; D531,528; D536,271; 7,156,317 and other patents pending.

Common Features

- Large Display with Bright Blue Backlight
- Dual Powered—Hardwired or Battery
- Non-Volatile Memory Retains User Settings
- Recirculating Fan Mode
- Residual Cooling Fan Delay
- Filter Check Monitor*
- Adaptive Recovery Mode (ARM™)*
- Adjustable Temperature Differential
- ESD Guard™ Electronic Circuitry
- Front Access Reset Button
- Keypad Lockout
- Programmable Extended Hold Mode*
- Compressor Short Cycle Protection
- Separate O & B Terminals
- Easy Access Front Battery Door
- Three Level Low Battery Indication
- Separate Heating and Cooling Set Point Times and Temperatures
- Temporary Program Override for 4 hours or Until Next Set Point*
- Meets ENERGY STAR® and California Title 24 Guidelines*



5970 Universal Thermostat Guard
Available for New and Existing
Thermostat Applications

**FREE ONLINE
CONTRACTOR BRANDING**
www.braeburnonline.com

Braeburn®

Braeburn Products



Braeburn offers a wide variety of thermostats and accessories. From our economical Builder Series to our innovative Premier Series, we have a solution for any residential or light commercial application.



**FREE
CONTRACTOR
BRANDING
AND ONLINE
ORDERING!**

Contractors get three lines of text for phone numbers or addresses on the battery door.

Proud Recipient of the Frost & Sullivan 2006 North American Thermostats Growth Strategy Leadership of the Year Award

Toll-Free 866.268.5599 (U.S.) +1.630.844.1968 (Outside the U.S.)
Visit our website at www.braeburnonline.com

©2005-2008 Braeburn Systems LLC • 2215 Cornell Avenue • Montgomery, IL 60538
All Rights Reserved • No. 115-250-004